


Notes i Surale le Kouse, Keen Sept 12 1869 Cercus Tweedi 8 ' Lyh - 2-2/2 inches Siam 1841 coreus vostratus Himling high - fife of acrill vosts, flowerbeeds vosts for the sides (organing) Genus grandis Han, Brujil; 10-12 feel high, below group, almost tente, spiricless h-5 inches Laureter, åbore mor aagula, 6 niller, groves skeller, avcolve elen set, I iach apait er lest, longer statisfier 1-2 index long with 4 or 5 smill but that on, radition on lower part of ande - spices at last disappearing -Cerus Tostussus - I sue no aevil vosts. anguli orenati Cercus livides ful anolae inmerque - Jameran nobis (fine a letter term - glacery Salen · angeli matato Cercus van belles approach; the for of Myllometi. Cerem permiano - gemeneter Cercus acoutangeles andre protousi alanjertam angalicualleti, is am Our Degree MISSOURI BOTANICAL

copyright reserved

GARDEN

cm





Notes i Sumbert house, Ken Soph 12 1869 Cerus alaeri portanes, dank-glauroug, black spiked, 10-12 fech high eval, with few eval branches, sten even, ust joshled, aagles sohnate, with promie La avolce openter Selman, Bryil, 5 feet high



MISSOURI BOTANICAL GARDENT GEORGE ENGELMANN PAPERS








But: 2-: 6 1869 Tegel in Humboldt, Villa Coreur spers'os i's s'acce gleing and violettan deing. Fruit get green, un sje best appavently full grown. Oval, with a smill umbili red, with about 20 Greolae, bearing bewehr those of the plant - fruit not angular of all Sourcely very chilly tuber lets. -

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN




Host Theoret Antiber The 25 (Panis manh 12 1869) Cereus remnant of style fruit gellowisk, globoxe sometil talendatis, 26-30 tuberales or pulvilli bearing small Triangulan soules (sepuls / and in their axils long florroze wool smen 2-3 mm long, fruit nearly 4 vention. (in 1/2 inches) in d'accele Rind their, yellow, pulls cohité, including numerous elongated sombralate Tec ? MISSOURI BOTANICAL copyright reserved

GARDEN

cm

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS







fra Mr Cels notes. fl. end of June, legin of The for about one week on 10 days, revent flowing A. 25 cm Con 20 vide tube smooth, with few (about 10) small Scales, green, work to wands top gradely i arres in i number krize abet 12 petel, pale rose - volon, long lancolate 2 cm log 2 will fringend on edger, sharply porched Emuronate? Stann, visette able 10 rent un from buse of take, 8 min Cong style searnely longer the stamp 15-16 ru Cong, 4 ma d'anute, greenish white, 18 millowich stigmett, 20 a Cong. 2 or 3 drys aften the fl. closes A still looks Cikeleg to open again, in aland of the tule of the flower become geller al separater (correscis) above base of style. MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



Dec 31 1868 Cereus resuvianus ex Hort bot Neapol, 7-9 1868 Howers 6 inches long 4 wide ovary oval with 3 (-5 ?) extremly smill scales, 1/3 or 1/2 mm long, very acuting triangular. Frebrabel 3"long mon half with about 5 similar only little larger scales, apper part with all 13 brond sounded a la souler James sepales 18-22. petak men 18-20 deuti ulate, herbreverly andtalete 1/2 inch of lower the free of slaver, stamiante pert alout 2 ihrbers long no rosone style cylindris, 15-20 fellows petulous - erect filiforn, 6 l. Cong. 1847 Traces of fact scales disappear on fail The was observed in Hort bot Maple. on an immune sperime, 20 untres high, in 1846 not since seen, Desor. i. Cal Hort. Ost. 1867; pag 25 note 3 fuit mosth, not believelet, nor market yellow. desourcely 3-angled, 2 inches, d'ameter, brander than high orlayoul windstorm is center with remodents of style. Black, curved seeds Cer. Tenu in Hort Kew Sept 12by; areobre smile 2 Contin, aport or less - not prominent, angles stright

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved


MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS MISSOURI

copyright reserved

cm

BOTANICAL

GARDEN





MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



Och 29 1868. Noma 1949 The Spenime of Cerus Verniams which I notived 10h gun ago nem the better of Concelle, was examined today again. The men truck had fellen at was partielly out of showing a centre (originally) pritty pritty 2 m 2/2 indigitude of rather of rather of rather of salle of sall 1/2 1/2 inches thick, gray and isregular ontside led ud rigulade grooved. The old truck was sprouting out all on - Ula Borghese I otto plans - never any fruit seen!

